



Dart Aerospace Ltd.  
1270 Aberdeen St  
Hawkesbury, ON  
K6A 1K7  
Canada

Tel (613) 632-5200  
Fax 613 632-5246

**D3552-15**  
**Job Sheet 194231**



**Part No:** D3552-15

**Job Qty:** 12 pcs

**Part Name:** Door Prop



**Part Weight:** 0 lbs

**Status:** New

**Priority:** Medium

**Job Created:** 4/29/19

**Job Tracking No:**

**Due Date:** 5/15/19

**Created By:** Chantal Lavoie

**Type:** Stock

**Description:**

**Note:** DWG D3552 Rev M IPP Rev:A 10.09.24 new issue DD Ver:EC IPP Rev:B 10.12.03 as per dwg rev.G DD ver:EC IPP Rev:C 12.07.30 AS PER ECN12-624 DD ver:EC/ IPP Rev D 18.04.05 Rev M DP Verify DD

**Ship Via:**

### Bill of Materials

### Job Routing

| Op No | Operation                     | Qty    | Start Date | Due Date | Standard  |         | Workcenter/Supplier    | Sign-off |
|-------|-------------------------------|--------|------------|----------|-----------|---------|------------------------|----------|
|       |                               |        |            |          | Setup Hrs | Run Hrs |                        |          |
| 100   | Purchasing                    | 12 pcs | 5/15/19    | 5/15/19  | 0.00      | 0.00    | Purchasing - 1         |          |
|       | APR 30 2019                   |        |            |          | x 12      |         | Purchasing - 2         |          |
|       |                               |        |            |          |           |         | Purchasing - 3         |          |
| 110   | Packaging 2-1 - Receive - B4B | 12 pcs | 5/15/19    | 5/15/19  | 0.00      | 0.00    | Packaging 2 - 1 - B4B  |          |
|       |                               |        |            |          |           |         | Packaging 2 - 2 - B4B  |          |
|       |                               |        |            |          |           |         | Packaging 2 - 3 - B4B  |          |
|       |                               |        |            |          |           |         | Packaging 2 - 5 - B4B  |          |
|       |                               |        |            |          |           |         | Packaging 2 - 4 - B4B  |          |
|       |                               |        |            |          |           |         | Packaging 2 - 6 - B4B  |          |
|       |                               |        |            |          |           |         | Packaging 2 - 7 - B4B  |          |
|       |                               |        |            |          |           |         | Packaging 2 - 8 - B4B  |          |
|       |                               |        |            |          |           |         | Packaging 2 - 9 - B4B  |          |
|       |                               |        |            |          |           |         | Packaging 2 - 10 - B4B |          |
|       |                               |        |            |          |           |         | Packaging 2 - 11 - B4B |          |
|       |                               |        |            |          |           |         | Packaging 2 - 12 - B4B |          |
|       |                               |        |            |          |           |         | Packaging 2 - 13 - B4B |          |
|       |                               |        |            |          |           |         | Packaging 2 - 14 - B4B |          |
|       |                               |        |            |          |           |         | Packaging 2 - 15 - B4B |          |
|       |                               |        |            |          |           |         | Packaging 2 - 16 - B4B |          |
|       |                               |        |            |          |           |         | Packaging 2 - 17 - B4B |          |
|       |                               |        |            |          |           |         | Packaging 2 - 18 - B4B |          |
|       |                               |        |            |          |           |         | Packaging 2 - 19 - B4B |          |
|       |                               |        |            |          |           |         | Packaging 2 - 20 - B4B |          |
|       |                               |        |            |          |           |         | Packaging 2 - 21 - B4B |          |
|       |                               |        |            |          |           |         | Packaging 2 - 22 - B4B |          |
|       |                               |        |            |          |           |         | Packaging 2 - 23 - B4B |          |
|       |                               |        |            |          |           |         | Packaging 2 - 24 - B4B |          |
|       |                               |        |            |          |           |         | Packaging 2 - 25 - B4B |          |
|       |                               |        |            |          |           |         | Packaging 2 - 26 - B4B |          |
|       |                               |        |            |          |           |         | Packaging 2 - 27 - B4B |          |



**Container No:** S180746



**Part:** D3552-15

**Job No:** 194231

**Serial No/Batch:** S180746

**Revision:** M

**Inspector:**

**Exp Date:**

**Instructions:** Various STC's

Dart Aerospace Ltd.  
1270 Aberdeen Street  
Hawkesbury, ON K6A 1K7  
CANADA  
TEL: 1 613 632-5200  
Email: sales@dartaero.com  
www.dartaerospace.com

Date: 05/13/19

|     |                             |        |         |                        |                        |
|-----|-----------------------------|--------|---------|------------------------|------------------------|
|     |                             |        |         | Packaging 2 - 28 - B4B |                        |
|     |                             |        |         | Packaging 2 - 29 - B4B |                        |
|     |                             |        |         | Packaging 2 - 30 - B4B |                        |
|     |                             |        |         | Packaging 2 - 31 - B4B |                        |
|     |                             |        |         | Packaging 2 - 32 - B4B |                        |
|     |                             |        |         | Packaging 2 - 33 - B4B |                        |
|     |                             |        |         | Packaging 2 - 34 - B4B |                        |
|     |                             |        |         | Packaging 2 - 35 - B4B |                        |
|     |                             |        |         | Packaging 2 - 36 - B4B |                        |
| 120 | QC 6                        | 12 pcs | 5/15/19 | 0.00 0.00              | QC 6 - 9               |
|     |                             |        |         |                        | QC 6 - 68              |
|     |                             |        |         |                        | QC 6 - 61              |
|     |                             |        |         |                        | QC 6 - 40              |
| 130 | Packaging 3-1 - Stock - B4B | 12 pcs | 5/15/19 | 0.00 0.00              | Packaging 3 - 1 - B4B  |
|     |                             |        |         |                        | Packaging 3 - 2 - B4B  |
|     |                             |        |         |                        | Packaging 3 - 3 - B4B  |
|     |                             |        |         |                        | Packaging 3 - 4 - B4B  |
|     |                             |        |         |                        | Packaging 3 - 5 - B4B  |
|     |                             |        |         |                        | Packaging 3 - 6 - B4B  |
|     |                             |        |         |                        | Packaging 3 - 7 - B4B  |
|     |                             |        |         |                        | Packaging 3 - 8 - B4B  |
|     |                             |        |         |                        | Packaging 3 - 9 - B4B  |
|     |                             |        |         |                        | Packaging 3 - 10 - B4B |
|     |                             |        |         |                        | Packaging 3 - 11 - B4B |
|     |                             |        |         |                        | Packaging 3 - 12 - B4B |
|     |                             |        |         |                        | Packaging 3 - 13 - B4B |
|     |                             |        |         |                        | Packaging 3 - 14 - B4B |
|     |                             |        |         |                        | Packaging 3 - 15 - B4B |
|     |                             |        |         |                        | Packaging 3 - 16 - B4B |
|     |                             |        |         |                        | Packaging 3 - 17 - B4B |
|     |                             |        |         |                        | Packaging 3 - 18 - B4B |
|     |                             |        |         |                        | Packaging 3 - 19 - B4B |
|     |                             |        |         |                        | Packaging 3 - 20 - B4B |
|     |                             |        |         |                        | Packaging 3 - 21 - B4B |
|     |                             |        |         |                        | Packaging 3 - 22 - B4B |
|     |                             |        |         |                        | Packaging 3 - 23 - B4B |
|     |                             |        |         |                        | Packaging 3 - 24 - B4B |
|     |                             |        |         |                        | Packaging 3 - 25 - B4B |
|     |                             |        |         |                        | Packaging 3 - 26 - B4B |
|     |                             |        |         |                        | Packaging 3 - 27 - B4B |
|     |                             |        |         |                        | Packaging 3 - 28 - B4B |
|     |                             |        |         |                        | Packaging 3 - 29 - B4B |
|     |                             |        |         |                        | Packaging 3 - 30 - B4B |
|     |                             |        |         |                        | Packaging 3 - 31 - B4B |
|     |                             |        |         |                        | Packaging 3 - 32 - B4B |
|     |                             |        |         |                        | Packaging 3 - 33 - B4B |
|     |                             |        |         |                        | Packaging 3 - 34 - B4B |
|     |                             |        |         |                        | Packaging 3 - 35 - B4B |
|     |                             |        |         |                        | Packaging 3 - 36 - B4B |
| 140 | QC 21 - SA                  | 12 pcs | 5/15/19 | 0.00 0.00              | QC 21 - SA - 21        |
|     |                             |        |         |                        | QC 21 - SA - 70        |
|     |                             |        |         |                        | QC 21 - SA - 53        |

DAS  
61  
9-89

MAY 21 2019

PC 57363

DAS  
21  
9-89

MAY 22 2019



Part Op 100 - Issue P/O: \_\_\_\_\_ Purchase Part Number: B8-154-387-300NX Supplier:LS Technologies Certificate of  
 Descriptions: conformity is required  
 110 - Receive & Inspect for Damage & Mat'l Certs  
 120 - (QC6- All purchased or subcontracted products), Test for correct pressure  
 130 - Identify as per dwg & Stock Location: \_\_\_\_\_  
 140 - QC21- Final Inspection - Work Order Release

| Job BOM                            |                     |               |                |           |
|------------------------------------|---------------------|---------------|----------------|-----------|
| Part / Item                        | Component Name      | Quantity      | Operation      | Container |
| B8-154-387-300NX                   | Gas Spring D3552-15 | 12 pcs (1 ea) | 100-Purchasing | 5180742   |
| Job Allocations                    |                     |               |                |           |
| Operation                          | Component Part      | Required      | Inventory      | Allocated |
| 100-Purchasing                     | B8-154-387-300NX    | 12            | 0              | 0         |
| Part Specifications                |                     |               |                |           |
| Specifications could not be found. |                     |               |                |           |

Plex 4/30/19 11:53 AM dart.lavoie.chantal



# SPECIFICATION CONTROL DRAWING



RELEASED

2016 APR 02  
ECN 16-695

|            |                                                                                                                                                                                                                  |                                                                                                                                                                                                                                                                                                               |              |
|------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------|
| M          | ADD P/N D3552-31, REF CIR18-114, UPDATED P/N D3552-101/-103, ADDED P/N D3552-105, REVISED NOTE 3, ADDED NOTE 4                                                                                                   | WK                                                                                                                                                                                                                                                                                                            | 18.03.20     |
| L          | ADD P/N D3552-29                                                                                                                                                                                                 | VS                                                                                                                                                                                                                                                                                                            | 15.04.13     |
| K          | ADD "X" TO LS TECHNOLOGIES P/Ns TO DESIGNATE "EXTRA DAMPING" FOR D3552-15/-17/-19/-25/-27. REASON: PAR12-209.                                                                                                    | MB                                                                                                                                                                                                                                                                                                            | 12.07.16     |
| J          | ADD P/N D3552-25/-27. REMOVE ALTERNATE PART NUMBER FOR -15, -17 AND -18. STROKE FOR -15, -17 AND -19 WAS 139/6.06 NOW 154/6.06. EXTENDED LENGTH FOR -15, -17 AND -19 WAS 388/15.2 NOW 387/15.2.                  | AP                                                                                                                                                                                                                                                                                                            | 11.12.07     |
| I          | ADD P/N D3552-23                                                                                                                                                                                                 | RF                                                                                                                                                                                                                                                                                                            | 11.10.11     |
| H          | ADD P/N D3552-21                                                                                                                                                                                                 | DC                                                                                                                                                                                                                                                                                                            | 11.03.10     |
| G          | FOR -15, FORCE: 300/87.4 WAS 400/89.9. SUPPLIER P/N B8-154-387-300N WAS B8-154-387-400N; FOR -17, STROKE: 139/6.47 WAS 160/6.30, EXT LG: 388/15.2 WAS 407/16.0. SUPPLIER P/N B8-154-387-158N WAS B8-167-408-158N | JPH                                                                                                                                                                                                                                                                                                           | 10.11.01     |
| F          | ADD P/N D3552-15/-17/-19 AND ALTERNATE SUPPLIER                                                                                                                                                                  | JPH                                                                                                                                                                                                                                                                                                           | 10.07.27     |
| E          | ADD P/N D3552-13 ZN B8-1, A8-1, D6-1, CHANGE NAME FROM "GAS SPRING" TO "DOOR PROP" THROUGH OUT DWG                                                                                                               | HS                                                                                                                                                                                                                                                                                                            | 10.02.03     |
| D          | ADD P/N D3552-101 ZN D6-1, C7-1, C1-1 AND D3552-103 ZN D1-1 AND C2-1 AND ZN B8-1; ADD NOTE REGARDING D3552-101 AND D3552-103 COMPATIBILITY ZN A8-1                                                               | HS                                                                                                                                                                                                                                                                                                            | 09.04.02     |
| C          | ADD D3552-11 AND CONVERSIONS FOR INSPECTION; UPDATE P/N FOR D3552-7                                                                                                                                              | LE                                                                                                                                                                                                                                                                                                            | 07.06.01     |
| B          | ADD D3552-7/-8; UPDATE DESC. D3552-1/-3/-5                                                                                                                                                                       | LE                                                                                                                                                                                                                                                                                                            | 06.10.24     |
| A          | NEW ISSUE                                                                                                                                                                                                        | LE                                                                                                                                                                                                                                                                                                            | 06.09.15     |
| REV.       | DESCRIPTION                                                                                                                                                                                                      | BY                                                                                                                                                                                                                                                                                                            | DATE         |
| DESIGN     | VS                                                                                                                                                                                                               | <b>DART AEROSPACE LTD</b><br>HAWKESBURY, ONTARIO, CANADA                                                                                                                                                                                                                                                      |              |
| DRAWN      | WK                                                                                                                                                                                                               |                                                                                                                                                                                                                                                                                                               |              |
| CHECKED    | RF                                                                                                                                                                                                               | DRAWING NO.                                                                                                                                                                                                                                                                                                   | REV. M       |
| MFG. APPR. | RA                                                                                                                                                                                                               | <b>D3552</b>                                                                                                                                                                                                                                                                                                  | SHEET 1 OF 2 |
| APPROVED   | HS                                                                                                                                                                                                               | TITLE                                                                                                                                                                                                                                                                                                         | SCALE        |
| DE APPR.   | DS                                                                                                                                                                                                               | <b>DOOR PROP</b>                                                                                                                                                                                                                                                                                              | NTS          |
| DATE       | 18.03.20                                                                                                                                                                                                         | <small>COPYRIGHT © 2008 BY DART AEROSPACE LTD<br/>                     THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.</small> |              |

APPROVED



| DART PART NUMBER | DESCRIPTION               | STROKE (mm/in) | EXTENDED LENGTH (mm/in) | FORCE (N/lb) | END FITTING            | MATERIAL     | SUPPLIER        | SUPPLIER PART NUMBER OR MODEL NUMBER |
|------------------|---------------------------|----------------|-------------------------|--------------|------------------------|--------------|-----------------|--------------------------------------|
| D3552-1          | DOOR PROP                 | 220/8.66       | 530/20.6                | 70/15.7      | 10mm SS BALL SOCKET    | CARBON STEEL | LS TECHNOLOGIES | C8-220-530-070N                      |
| D3552-3          | DOOR PROP                 | 200/7.87       | 490/19.3                | 200/45.0     | 10mm SS BALL SOCKET    | CARBON STEEL | LS TECHNOLOGIES | C8-200-490-200N                      |
| D3552-5          | DOOR PROP                 | 175/6.89       | 430/16.9                | 150/33.7     | 10mm SS BALL SOCKET    | CARBON STEEL | LS TECHNOLOGIES | C8-175-430-150N                      |
| D3552-7          | DOOR PROP                 | 220/8.66       | 530/20.9                | 70/15.7      | 10mm NYLON BALL SOCKET | CARBON STEEL | LS TECHNOLOGIES | B8-220-530-070N                      |
| D3552-9          | DOOR PROP                 | 200/7.87       | 490/19.3                | 200/45.0     | 10mm NYLON BALL SOCKET | CARBON STEEL | LS TECHNOLOGIES | B8-200-490-200N                      |
| D3552-11         | DOOR PROP                 | 240/9.45       | 575/22.6                | 150/33.7     | 10mm NYLON BALL SOCKET | CARBON STEEL | LS TECHNOLOGIES | B8-240-575-150N                      |
| D3552-13         | DOOR PROP                 | 220/8.66       | 530/20.9                | 140/31.5     | 10mm NYLON BALL SOCKET | CARBON STEEL | LS TECHNOLOGIES | B6-220-530-140N                      |
| D3552-15         | DOOR PROP W/EXTRA DAMPING | 154/6.06       | 387/15.2                | 300/67.4     | 10mm NYLON BALL SOCKET | CARBON STEEL | LS TECHNOLOGIES | B8-154-387-300NX                     |
| D3552-17         | DOOR PROP W/EXTRA DAMPING | 154/6.06       | 387/15.2                | 156/35.1     | 10mm NYLON BALL SOCKET | CARBON STEEL | LS TECHNOLOGIES | B8-154-387-156NX                     |
| D3552-19         | DOOR PROP W/EXTRA DAMPING | 154/6.06       | 387/15.2                | 60/13.5      | 10mm NYLON BALL SOCKET | CARBON STEEL | LS TECHNOLOGIES | B8-154-387-060NX                     |
| D3552-21         | DOOR PROP                 | 167/6.57       | 410/16.1                | 70/15.7      | 10mm NYLON BALL SOCKET | CARBON STEEL | LS TECHNOLOGIES | B6-167-410-070N                      |
| D3552-23         | DOOR PROP                 | 190/7.48       | 475/18.7                | 70/15.7      | 10mm NYLON BALL SOCKET | CARBON STEEL | LS TECHNOLOGIES | B6-190-475-070N                      |
| D3552-25         | DOOR PROP W/EXTRA DAMPING | 148/5.83       | 475/18.7                | 300/67.4     | 10mm NYLON BALL SOCKET | CARBON STEEL | LS TECHNOLOGIES | B8-148-475-300NX                     |
| D3552-27         | DOOR PROP W/EXTRA DAMPING | 148/5.83       | 475/18.7                | 156/35.1     | 10mm NYLON BALL SOCKET | CARBON STEEL | LS TECHNOLOGIES | B8-148-475-156NX                     |
| D3552-29         | DOOR PROP                 | 190/7.48       | 475/18.7                | 100/22.5     | 10mm NYLON BALL SOCKET | CARBON STEEL | LS TECHNOLOGIES | B6-190-475-100N                      |
| D3552-31         | DOOR PROP                 | 190/7.48       | 475/18.7                | 147/33.0     | 10mm NYLON BALL SOCKET | CARBON STEEL | LS TECHNOLOGIES | B6-190-475-147N                      |
| D3552-101        | CLIP                      | N/A            | N/A                     | N/A          | N/A                    | CARBON STEEL | LS TECHNOLOGIES | C9-8                                 |
| D3552-103        | BALL SOCKET END           | N/A            | N/A                     | N/A          | N/A                    | NYLON        | LS TECHNOLOGIES | B6                                   |
| D3552-105        | BALL SOCKET END           | N/A            | N/A                     | N/A          | N/A                    | NYLON        | LS TECHNOLOGIES | B8                                   |

### D3552-X DOOR PROP

RELEASED

2018 APR 02

#### NOTES:

- 1) IDENTIFICATION: IDENTIFY PER QSI 044 6.2
- 2) D3552-101 CLIP IS ONLY COMPATIBLE WITH D3552-1/-3/-5 DOOR PROPS
- 3) D3552-103 BALL SOCKET END IS COMPATIBLE WITH D3552-13/-21/-23/-29/-31 DOOR PROPS
- 4) D3552-105 BALL SOCKET END IS COMPATIBLE WITH D3552-7/-9/-11/-15/-17/-19/-25/-27 DOOR PROPS

APPROVED

|            |          |                                                                                                                                                                                                                                                                |              |
|------------|----------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------|
| DESIGN     | VS       | <b>DART AEROSPACE LTD</b><br>HAWKESBURY, ONTARIO, CANADA                                                                                                                                                                                                       |              |
| DRAWN      | WK       |                                                                                                                                                                                                                                                                |              |
| CHECKED    | RF       | DRAWING NO.                                                                                                                                                                                                                                                    | REV. M       |
| MFG. APPR. | RA       | <b>D3552</b>                                                                                                                                                                                                                                                   | SHEET 2 OF 2 |
| APPROVED   | HS       | TITLE                                                                                                                                                                                                                                                          | SCALE        |
| DE APPR.   | DS       | <b>DOOR PROP</b>                                                                                                                                                                                                                                               | NTS          |
| DATE       | 18.03.20 | COPYRIGHT © 2006 BY DART AEROSPACE LTD<br>THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD. |              |





Dart Aerospace Ltd.  
1270 Aberdeen St  
Hawkesbury, ON  
K6A 1K7  
Canada

Tel (613) 632-5200

# PURCHASE ORDER

## POHB043333



**Supplier:** LST001-VC  
LS Technologies Inc.  
1634 Saskatchewan Ave.  
Saskatoon  
SK  
S7K 1P6 Canada  
Phone: 306 683 5000  
Fax: 306 683 6403

**PO No:** POHB043333  
**PO Date:** 4/30/19  
**Due Date:** 5/10/19  
**Purchase Order**  
**Revision:**  
**Revision Date:**  
**Ship-To Contact:** Phone:

**E-MAILED**  
2019-05-01

**Ship To:** 1270 Aberdeen Street  
Hawkesbury  
ON  
K6A 1K7 Canada  
Phone: 613-632-5200

**Via:** Ground  
**Pynt Terms:** Net 30  
**Freight Terms:** Prepaid  
**Special Comments:**

### Items

| Line Item           | Job    | Part             | Supplier Part No | Item No | Description                                    | Status     | Account | Due Date    | Order Quantity | Received Quantity | Balance | Unit Price (CAD) | Extended Price  |
|---------------------|--------|------------------|------------------|---------|------------------------------------------------|------------|---------|-------------|----------------|-------------------|---------|------------------|-----------------|
| 1                   | 194231 | B8-154-387-300NX |                  |         | Gas Spring D3552-15<br>As per Dwg D3552 Rev. M | Firmed X12 | -       | 5/10/19     | 12 pcs         | 0 pcs             | 12 pcs  | \$26.4999/pcs    | \$318.00        |
|                     |        |                  |                  |         |                                                |            |         | MAY 13 2019 |                |                   |         |                  |                 |
| 2                   | 194321 | B6-190-475-070N  |                  |         | Door Prop D3552-23<br>As per Dwg D3552 Rev M   | Firmed X6  | -       | 5/10/19     | 6 pcs          | 0 pcs             | 6 pcs   | \$32.50/pcs      | \$195.00        |
|                     |        |                  |                  |         |                                                |            |         | MAY 13 2019 |                |                   |         |                  |                 |
| 3                   | 194320 | B8-154-382-050N  |                  |         | Gas Spring D5479-1<br>As Per Dwg D5479 Rev. A  | Firmed X10 | -       | 5/10/19     | 10 pcs         | 0 pcs             | 10 pcs  | \$38.90/pcs      | \$389.00        |
|                     |        |                  |                  |         |                                                |            |         | MAY 13 2019 |                |                   |         |                  |                 |
| <b>Grand Total:</b> |        |                  |                  |         |                                                |            |         |             |                |                   |         |                  | <b>\$902.00</b> |

### Order Notes

Terms & Condition of Purchasing(Suppliers) and Procurement Quality Clauses are an integral part of our AS9100 requirements. To learn in detail, please visit [www.dartaerospace.com](http://www.dartaerospace.com) for further explanation.

#### Procurement Quality Clauses

A005 RIGHT OF ENTRY

A007 FIRST ARTICLE INSPECTION (FAI) BY SELLER, (DOCUMENTATION MAINTAINED BY SUPPLIER)

A012 CHEMICAL AND PHYSICAL TEST REPORTS

A016 PERSONNEL QUALIFICATION

A017 RAW MATERIAL IDENTIFICATION (AS APPLICABLE)

A026 CERTIFICATION OF MATERIAL CONFORMANCE

A041 QUALITY MANAGEMENT SYSTEM

A042 DART NOTIFICATION BY SUPPLIER

A043 RETENTION OF QUALITY DOCUMENT

A048 COUNTERFEIT PARTS AVOIDANCE, DETECTION, MITIGATION AND DISPOSITION PROGRAM

A049 SUPPLIER AWARENESS

*[Handwritten signature]*

Plex 4/30/19 1:57 PM Dart.Guerin.Kimberley

# Packing Slip

LS TECHNOLOGIES INC  
1634 Saskatchewan Ave  
Saskatoon, SK S7K 1P6

|          |          |           |
|----------|----------|-----------|
| P.O. No. | Date     | Invoice # |
| 043333   | 5/7/2019 | 20370     |

|                                                                   |
|-------------------------------------------------------------------|
| Bill to:                                                          |
| Dart Aerospace Ltd<br>1270 Aberdeen St.<br>Hawkesbury, ON K6A 1K7 |

|                                                                                                   |
|---------------------------------------------------------------------------------------------------|
| Ship to:                                                                                          |
| Main Finished Goods Location<br>Dart Aerospace Ltd<br>1270 Aberdeen St.<br>Hawkesbury, ON K6A 1K7 |

RECEIVED  
MAY 13 2019  
DART AEROSPACE LTD.

|          |        |
|----------|--------|
| Ship     | Via    |
| 5/7/2019 | Fed-Ex |

| Qty                                         | Description                 |
|---------------------------------------------|-----------------------------|
| 12                                          | D3552-15 #194231 Gas Spring |
| 6                                           | D3552-23 #194321 Gas Spring |
| 10                                          | D5479-1 #194320 Gas Spring  |
| Shipping Via FED EX Tracking # 775159874418 |                             |

Order checked by: 



LS Technologies Inc

1634 Saskatchewan Ave,  
Saskatoon, SK S7K 1P6

Ph: (306) 683-5000 Fax: (306) 683-6403

## **Certificate of Compliance**

May 7, 2019

This is to certify that the parts listed below meets specifications as required by your order.

12 Units : D3552-15 #194231

6 Units : D3552-23 #194321 Gas Spring

10 Units: D5479-1 #194320 Gas Spring

**Country of Manufacture: Canada**

**Date of Manufacture : May 2019**

**This product is ROHS compliant.**

**Purchase Order # 043333**

**Invoice # 20370**

L S Technologies Inc Canada

Nolan Fehr  
President